

TECHNICAL SPECIFICATION

OUTDOOR GARDEN

ALEK



Technical data

Nominal voltage:	220AC
Protection against dust and moisture:	IP44
Lampholder:	E27
Body:	Aluminium with glass
Colour of the housing:	Antique brass
	Matt black

Areas of application

- Exterior garden lighting


Product benefits

- Instant light at maximum luminous flux
- Suitable for outdoor garden mounting
- Aluminium and glass body
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration stable body
- Voltage supply fluctuations do not affect the normal operation of the floodlights

Dimensions

Model	Colour body	Lamp holder	Size			Catalogue number	Packaging (pcs)
			Width	Length	Height		
96301WD/BRB	Antique brass	E27	150	175	295	96301WD/BRB	1
96301WU/BRB	Antique brass	E27	150	175	365	96301WU/BRB	1
96303P/BRB	Antique brass	E27	150	150	230	96303P/BRB	1
96304MF/BRB	Antique brass	E27	150	150	370	96304MF/BRB	1
96305F/BRB	Antique brass	E27	150	150	830	96305F/BRB	1
96301WD/BK	Matt black	E27	150	175	295	96301WD/BK	1
96301WU/BK	Matt black	E27	150	175	365	96301WU/BK	1
96303P/BK	Matt black	E27	150	150	230	96303P/BK	1
96304MF/BK	Matt black	E27	150	150	370	96304MF/BK	1
96305F/BK	Matt black	E27	150	150	830	96305F/BK	1

Energy efficiency



Standards

EN 55015

EN 61000-3-2

EN 61000-3-3

EN 61547

EN 60598-1, EN 60598-2-3

